

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.pasmo.nt-rt.ru | | pod@nt-rt.ru

Технические характеристики на фризеры для мороженого мультивкусовые с воздушным насосом, гравитационные S520F, S970F, S970FT компании **Pasmo**

PASMO S520F Gravity


Born For Franchise Store



Loved By Franchise Store

Pasmo S520F is a Heavily used equipment, suitable for chain ice cream sellers with ice cream as the main project

which has high requirements for equipment continuity and product taste.



Dual Independent
System



High Expansion Rate
Delicate Taste



Gear Type Air Pump
System



Intelligent Inverter
Technology



Low Frozen Cylinder
Rate



Optional Configuration

PRODUCT PARAMETERS

FASMO PASCAL

Specification for ice cream machine S520F

- Hopper: 12.5L*2
- Cylinder: 2.0L*2
- Flavor: 2+1 twisted flavor
- Main compressor: 3753Btu/Hr*2, R404a
- Capacity: 45L/H
- Beater motor: 0.55KW*2
- Power: 3.2Kw
- Cooling type: air cool/water cool
- Machine size: 860*640*1520mm
- Packing size: 1000*785*1640mm
- N.W.: 226kg
- G.W.: 241kg

PASMO S520F with Air Pump


Born For Franchise Store



Loved By Franchise Store

Pasmo S520FAP is a Heavily used equipment, suitable for chain ice cream sellers with ice cream as the main project

which has high requirements for equipment continuity and product taste.



Dual Independent
System



High Expansion Rate
Delicate Taste



Gear Type Air Pump
System



Intelligent Inverter
Technology



Low Frozen Cylinder
Rate



Optional Configuration

PRODUCT PARAMETERS

PANNO PASCAL

Specification for ice cream machine S520F with pump

- Hopper: 12.5L*2
- Cylinder: 2.0L*2
- Flavor: 2+1 twisted flavor
- Main compressor: 3753Btu/Hr*2, R404a
- Capacity: 50L/H
- Beater motor: 0.55KW*2
- Power: 3.2Kw
- Cooling type: air cool/water cool
- Machine size: 860*640*1520mm
- Packing size: 1000*785*1640mm
- N.W.: 256kg
- G.W.: 271kg

PASMO S970F Gravity


Born For Franchise Store



Loved By Franchise Store

Pasmo S970F is a Heavily used equipment, suitable for chain ice cream sellers with ice cream as the main project

which has high requirements for equipment continuity and product taste.



Dual Independent
System



High Expansion Rate
Delicate Taste



Gear Type Air Pump
System



Intelligent Inverter
Technology



Low Frozen Cylinder
Rate



Optional Configuration

PRODUCT PARAMETERS

PASMO PASCAL

Specification for ice cream machine S970F

- Hopper: 9.5L*2
- Cylinder: 2.5L*2
- Flavor: 2+1 twisted flavor
- Main compressor: 4094Btu/Hr*2, R404a
- Capacity: 55L/H
- Beater motor: 0.55KW*2
- Power: 3.2Kw
- Cooling type: air cool/water cool
- Machine size: 770*520*1445mm
- Packing size: 910*670*1610mm
- N.W.: 226kg
- G.W.: 241kg


PASMO S970F with Air Pump

Born For Franchise Store



Loved By Franchise Store

Pasmo S970F is a Heavily used equipment, suitable for chain ice cream sellers with ice cream as the main project which has high requirements for equipment continuity and product taste.



Dual Independent
System



High Expansion Rate
Delicate Taste



Gear Type Air Pump
System



Intelligent Inverter
Technology



Low Frozen Cylinder
Rate



Optional Configuration

PRODUCT PARAMETERS

FASMO PASCAL

Specification for ice cream machine S970F with pump

- Hopper: 9.5L*2
- Cylinder: 2.5L*2
- Flavor: 2+1 twisted flavor
- Main compressor: 4094Btu/Hr*2, R404a
- Capacity: 60L/H
- Beater motor: 0.55KW*2
- Power: 3.2Kw
- Cooling type: air cool/water cool
- Machine size: 770*520*1445mm
- Packing size: 910*670*1610mm
- N.W.: 256kg
- G.W.: 271kg

PASMO S970FT with Air Pump

Power To Change Everything



Designed For Masters Who Desire To Break Through

Say hello to a ice cream Machine that is extreme in every way. With the greatest performance in the Pasmo series,

it is a machine created to let a wide range of ice cream professionals push the limits of what is possible.



Greatest Performance In
The Pasmo Series



The Largest Productivity In
The Pasmo Series



5 Minutes Ultra-Fast
Cooling



Taste Like Cream
High Expansion Rate



Micro Heating
Automatic Defrost



Pasteurization
14 Days No Cleaning

PRODUCT PARAMETERS

FASMD PASCAL

Specification for ice cream machine 930FT with pump

- Hopper: 9.5L
- Cylinder: 2.0L
- Flavor: 1 flavor
- Main compressor: 3753Btu/Hr, R404a
- Capacity: 40L/H
- Beater motor: 0.75KW
- Power: 2.0Kw
- Cooling type: air cool/water cool
- Machine size: 640*380*803mm
- Packing size: 870*530*950mm
- N.W.: 110kg
- G.W.: 120kg

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.pasmo.nt-rt.ru | | pod@nt-rt.ru